



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

CALIFORNIA.—Month of February, 1897. Reports to the State board of health from 52 cities, towns, and villages, having an aggregate population of 749,530, show a total of 989 deaths, including phthisis pulmonalis, 150; diphtheria, 5; croup, 9; enteric fever, 12; whooping cough, 3, and measles, 16.

Oakland.—Month of February, 1897. Estimated population, 60,000. Total deaths, 54, including phthisis pulmonalis, 5; enteric fever, 1, and measles, 1.

San Francisco.—Month of February, 1897. Estimated population, 360,000. Total deaths, 551, including phthisis pulmonalis, 81; enteric fever, 2; diphtheria, 3; croup, 6, and measles, 6.

CONNECTICUT.—Month of February, 1897. Reports to the State board of health from 166 towns, having an aggregate population of 852,210, show a total of 1,142 deaths, including phthisis pulmonalis, 123; enteric fever, 4; scarlet fever, 11; diphtheria and croup, 43; measles, 2, and whooping cough, 13.

FLORIDA—*Tampa*.—Month of February, 1897. Estimated population, 26,000. Total deaths, 44, including phthisis pulmonalis, 9, and enteric fever, 1.

IOWA—*Clinton*.—Month of February, 1897. Estimated population, 25,000. Total deaths, 9, including phthisis pulmonalis, 2.

Council Bluffs.—Month of January, 1897. Estimated population, 35,000. Total deaths, 22, including phthisis pulmonalis, 1, and diphtheria, 2.

Creston.—Month of February, 1897. Estimated population, 7,306. Total deaths, 12. No deaths from contagious diseases.

Davenport.—Month of January, 1897. Estimated population, 35,000. Total deaths, 50, including 5 from phthisis pulmonalis.

Cedar Rapids.—Month of February, 1897. Estimated population, 21,555. Total deaths, 20, including 2 from phthisis pulmonalis.

Des Moines.—Month of February, 1897. Estimated population, 82,600. Total deaths, 37, including phthisis pulmonalis, 5; diphtheria, 2, and measles, 1.

Dubuque.—Month of January, 1897. Estimated population, 40,000. Total deaths, 29, including phthisis pulmonalis, 5; diphtheria, 2, and membranous croup, 4.

Eldon.—Month of February, 1897. Estimated population, 1,900. Total deaths, 2. No deaths from contagious diseases.

Oskaloosa.—Month of February, 1897. Estimated population, 8,500. Total deaths, 5. No deaths from contagious diseases.

Sioux City.—Month of February, 1897. Estimated population, 27,500. Total deaths, 25, including 2 from phthisis pulmonalis.

MICHIGAN.—Week ended March 13, 1897. Reports to the State board of health, Lansing, from 66 observers indicate that phthisis pulmonalis

was reported present during the week at 176 places, measles at 78, scarlet fever at 30, diphtheria at 24, enteric fever at 18, and whooping cough at 9 places.

MINNESOTA—*Duluth*.—Month of February, 1897. Estimated population, 60,000. Total deaths, 28, including phthisis pulmonalis, 4; enteric fever, 2; diphtheria, 1, and whooping cough, 1.

Minneapolis.—Month of January, 1897. Estimated population, 225,602. Total deaths, 168, including phthisis pulmonalis, 15; enteric fever, 2; diphtheria, 5, and whooping cough, 2.

Month of February, 1897. Total deaths, 159, including phthisis pulmonalis, 23; enteric fever, 6, and diphtheria, 5.

NEBRASKA—*Omaha*.—Month of January, 1897. Estimated population, 140,452. Total deaths, 75, including phthisis pulmonalis, 11; enteric fever, 1, and scarlet fever, 1.

Month of February, 1897. Total deaths, 74, including phthisis pulmonalis, 11; enteric fever, 2, and diphtheria and croup, 1.

NEW JERSEY—*Paterson*.—Month of February, 1897. Estimated population, 105,844. Total deaths, 172, including phthisis pulmonalis, 16; enteric fever, 3; diphtheria, 12; measles, 16, and croup, 3.

NEW YORK—*Buffalo*.—Month of February, 1897. Estimated population, 350,000. Total deaths, 375, including phthisis pulmonalis, 36; enteric fever, 5; scarlet fever, 1; diphtheria, 16; croup, 7; measles, 8, and whooping cough, 9.

Yonkers.—Month of February, 1897. Estimated population, 40,000. Total deaths, 53, including phthisis pulmonalis, 4; enteric fever, 1; scarlet fever, 1, and diphtheria, 6.

OHIO—*Cleveland*.—Month of January, 1897. Estimated population, 350,000. Total deaths, 350, including phthisis pulmonalis, 20; enteric fever, 5; diphtheria, 7, and croup, 12.

Month of February, 1897. Total deaths, 410, including phthisis pulmonalis, 22; enteric fever, 2; diphtheria, 14, and croup, 4.

Mansfield.—Month of February, 1897. Estimated population, 18,000. Total deaths, 26, including phthisis pulmonalis, 3, and croup, 1.

PENNSYLVANIA—*Beaver Falls*.—Month ended March 20, 1897. Estimated population, 12,000. Total deaths, 8, including phthisis pulmonalis, 2, and enteric fever, 2.

RHODE ISLAND—*Newport*.—Month of February, 1897. Estimated population, 21,500. Total deaths, 35, including phthisis pulmonalis, 9; croup, 1, and whooping cough, 2.